


NEUATION

TECHNOLOGIES



**Agitador Magnético Con Calentador Digital
0°C-320°C Rpm 200 -2200 C/Maxima 10L.
Modelo: Istir Hp-320**

iStir HP 320

(Hot Plate Stirrer)

Having spent a lot of time in the development phase before it became available for purchase, iStir HP 320 has been extensively tested to ensure efficient performance and extremely user-friendly interface.

With class-leading features that are designed to deal with demanding laboratory conditions & real-life situations, iStir HP320 is the answer to all of your hot plate stirring needs with a capacity upto 10 liters.



More Than Just Another Machine



Variable Temperature Setting
From Ambient To 320° C



Temp. Accuracy
Of +/- 1°C



Safe Temperature
Setting Up To 345° C



10 L Of Volume




Variable Speed
From 200-2200 RPM


Variable Timer Setting
From 1 Min To Infinite



Powerful DC Motor For
Enhanced Performance



Microprocessor
Controlled




Large & Clear Display




Power Intermittent
Mode-auto Restart After
Power Resumes For The
Left Operational Time



Get More Done With Less




Separate Display For
RPM / Time & Temp



Option Of Selecting
Either °C Or °F As
Temperature Units



Keypad Locking



PT-1000
Temperature Probe



Small Footprint



IP 21 class
Protected

Specifications

Specifications	iStir HP 320
Capacity	10 Litres
Set up plate material*	SS top with enamel coated
Heater Temperature	Ambient to 320°C
Variable Speed	200-2200 RPM in steps of 10 RPM
Run Time	1-999 mins & infinite
Set-up plate dimensions (mm)	140 mm
Weight of instrument	2 kg
Dimension (mm)	248 x 156 x 115
Protection Class	IP 21

Ordering Information

iStir HP 320		
Product Name	Cat #	Details
iStir HP 320 (220 V)	HS20-3212 EU/AU/UK	Hot Plate Magnetic Stirrer Max Temp 320°C SS top with enamel coated
iStir HP 320 (110 V)	HS10-3212 US	Hot Plate Magnetic Stirrer Max Temp 320°C SS top with enamel coated